



OPEN COUNTRY A/T | All-Terrain Tires for Pickups and SUVs, SIZES &

SPECIFICATIONS Printed: February 22, 2012

Tire Size	Product Code	Approved Rim Width Range (inch)	Tire Weight (lbs.)	Tread Depth (1/32")	Overall Diameter (inch)	Overall Width (inch)	Static Loaded Radius (inch)	Max Load: Single (lbs)	Max Load: Dual (lbs)
P225/70R14 98S	300190	6.0-6.5-7.5	24.3	13	26.6	8.9	11.9	1675	
P205/75R15 97S	300080	5.0-5.5-7.0	22.7	12	27.1	8	12.3	1598	
P215/75R15 100S	300070	5.5-6.0-7.0	25.2	12	27.7	8.5	12.4	1742	
P225/70R15 100T	300310	6.0-6.5-7.5	25.8	13	27.4	9	12.4	1753	
P225/75R15 102S	300060	6.0-7.5	26.7	13	28.3	8.8	12.7	1874	
P235/70R15 102S	300170	6.0-7.0-8.0	27.2	13	28	9.5	12.6	1896	
P235/75R15 108S XL	300220	6.0-6.5-8.0	30.6	13	28.9	9.3	12.9	2183	
P235/75R15 105S	300050	6.0-6.5-8.0	29.2	13	28.9	9.3	12.9	2028	
LT235/75R15 104/101S C/6	301100	6.0-6.5-7.0	32.7	14	28.9	9.3	12.9	1985	182
P265/70R15 110S	300160	7.0-8.0-9.0	35	13	29.7	10.7	13.2	2337	
P265/75R15 112S	300040	7.0-7.5-9.0	36.4	13	30.7	10.5	13.6	2469	
30X9.50R15LT 104S C/6	300520	6.5-7.5-8.5	36	16	29.5	9.5	13.1	1985	
31X10.50R15LT 109S C/6	300510	7.0-8.5-9.0	38.9	16	30.5	10.5	13.5	2270	
33X12.50R15LT 108Q C/6	300530	8.5-10.0-11.0	61.7	17	32.6	12.5	14.4	2205	
35X12.50R15LT 113Q C/6	300540	8.5-10.0-11.0	73.4	17	34.5	12.7	15.1	2535	
P215/70R16 99S	300150	5.5-6.5-7.0	24.3	12	27.9	8.7	12.7	1709	
LT215/85R16 115/112Q E/10	301030	5.5-6.0-7.0	38.4	15	30.4	8.5	13.6	2680	247
P225/70R16 101S	300140	6.0-6.5-7.5	27.8	13	28.4	9	12.9	1819	
P225/75R16 104S	300030	6.0-7.5	26.9	13	29.3	8.8	13.2	1984	
LT225/75R16 110/107Q D/8	301080	6.0-7.0	36.2	14	29.3	8.8	13.2	2335	215
LT225/75R16 115/112Q E/10	301090	6.0-7.0	36.4	14	29.3	8.8	13.2	2680	247
P235/70R16 104T	300320	6.0-7.0-8.0	29.8	13	29	9.5	13.1	1984	
P235/75R16 106T	300250	6.0-6.5-8.0	32	13	29.9	9.3	13.4	2094	
LT235/85R16 120/116Q E/10	301010	6.0-6.5-7.0	42.6	15	31.7	9.3	14.2	3042	277
P245/70R16 106S	300120	6.5-7.0-8.0	33.1	13	29.5	9.8	13.2	2094	
P245/75R16 109S	300020	6.5-7.0-8.0	34.6	13	30.5	9.8	13.7	2271	
LT245/75R16 108/104S C/6	301060	6.5-7.0-7.5	39.7	15	30.5	9.8	13.6	2205	200
LT245/75R16 120/116Q E/10	301070	6.5-7.0-7.5	41.3	15	30.5	9.8	13.6	3042	277
255/65R16 109H	300200	7.0-7.5-9.0	32.6	13	29.1	10.2	13.2	2271	
P255/70R16 109S	300110	6.5-7.5-8.5	34.6	13	30.1	10.2	13.5	2271	
P265/70R16 111T	300330	7.0-8.0-9.0	39.2	13	30.6	10.7	13.8	2403	
P265/75R16 114S	300010	7.0-7.5-9.0	38.9	13	31.7	10.5	14.1	2601	
LT265/75R16 112/109S C/6	301040	7.0-7.5-8.0	42.8	16	31.7	10.5	14.1	2470	227
LT265/75R16 119/116Q D/8	301050	7.0-7.5-8.0	45.7	16	31.7	10.5	14.1	3000	275
LT265/75R16 123/120Q E/10	301110	7.0-7.5-8.0	48.7	16	31.7	10.5	14.1	3415	305
P275/70R16 114H	300090	7.0-8.0-9.0	40.9	13	31.2	11	13.9	2601	
LT285/75R16 122Q D/8	302000	7.5-8.0-9.0	53.1	17	32.7	11.3	14.5	3305	

LT295/75R16 123Q D/8	300340	7.5-8.0-9.5	56.7	17	33.3	11.7	14.7	3415	
LT305/70R16 124Q E/10 (33X12.5R16)	300350	8.0-9.0-9.5	57.5	17	32.7	12.3	14.5	3525	
LT315/75R16 121Q D/8 (35X12.5R16)	300360	8.0-8.5-10.0	66.1	17	34.5	12.6	15.2	3195	
235/60R17 102H	300370	6.5-7.0-8.5	30.6	13	28.1	9.4	12.8	1874	
P235/65R17 103H	300260	6.5-7.0-8.5	30.9	12	29	9.4	13.2	1929	
P235/65R17 103H	301730	6.5-7.0-8.5	36.4	13	29.1	9.4	13.2	1929	
P235/70R17 108S	300550	6.0-7.0-8.0	31.5	13	29.9	9.6	13.5	2205	
P235/75R17 108S	300560	6.0-6.5-8.0	34.2	13	30.9	9.3	13.9	2205	
LT235/80R17 120/117S E/10	301470	6.0-7.0-7.5	43.3	15	31.7	9.3	14.3	3085	28.5
LT235/80R17 120/117S E/10	301620	6.0-6.5-7.5	47.2	15	31.7	9.2	14.2	3085	28.5
P245/65R17 105T	300270	7.0-8.5	31.1	13	29.5	9.6	13.4	2039	
P245/65R17 105T	301700	7.0-7.0-8.5	39	13	29.5	9.8	13.4	2039	
P245/70R17 108S	300650	6.5-7.0-8.0	37.9	13	30.6	9.8	13.8	2205	
P245/70R17 108S	301720	6.5-7.0-8.0	40.6	13	30.4	9.8	13.7	2205	
LT245/70R17 119S E/10	301160	6.5-7.0-8.0	44.5	15	30.5	9.7	13.8	3000	
LT245/70R17 119S E/10	301670	6.5-7.0-8.0	45.6	15	30.6	9.9	13.8	3000	
P245/75R17 110S	300570	6.5-7.0-8.0	37.5	13	31.5	9.8	14.1	2373	
LT245/75R17 121S E/10	300670	6.5-7.0-7.5	45.9	15	31.5	9.9	14.1	3195	
LT245/75R17 121/118S E/10	301630	6.5-7.0-7.5	48.1	15	31.5	9.8	14.1	3195	29.5
P255/65R17 108S	300700	7.0-7.5-9.0	36.4	13	30.1	10	13.6	2205	
P255/70R17 110S	300660	6.5-7.5-8.5	38.6	13	31.1	10.2	14	2337	
P255/75R17 113S	300470	6.5-7.0-8.5	39.2	13	32.1	10	14.4	2535	
P265/65R17 110S	301490	7.5-8.0-9.5	38.4	13	30.5	10.6	13.8	2337	
P265/65R17 110S	301690	7.5-8.0-9.5	42.3	13	30.5	10.7	13.8	2337	
P265/70R17 113S	300210	7.0-8.0-9.0	39	13	31.7	10.7	14.2	2535	
P265/70R17 113S	301570	7.0-8.0-9.0	45.6	13	31.5	10.9	14.2	2535	
LT265/70R17 121/118S E/10	301390	7.0-8.0-8.5	46.5	16	31.6	10.6	14.2	3195	29.5
LT265/70R17 121/118S E/10	300760	7.0-8.0-8.5	50.6	16	31.7	10.8	14.2	3195	
P275/60R17 110T	300280	7.5-8.0-9.5	30.6	13	29.9	11.1	13.5	2337	
275/65R17 115T	301530	7.5-8.0-9.5	40.9	13	31	11	14	2679	
P285/70R17 117T	300580	7.0-8.5-9.5	44.1	13	32.7	11.4	14.6	2833	
P285/70R17 117T	301710	7.5-8.5-9.5	49.2	14	32.6	11.7	14.6	2833	
LT285/70R17 121S D/8	301590		0	0	0	0	0		
LT285/70R17 126S E/10	301580		0	0	0	0	0		
LT285/70R17 126S E/10 (33X11.5R17)	301480	7.5-8.5-9.0	53.1	17	32.7	11.5	14.6	3750	
LT285/70R17 121S D/8 (33X11.5R17)	301400	7.5-8.5-9.0	52.7	17	32.7	11.3	14.6	3195	
LT285/75R17 128S E/10 (34X11.5R17)	300690	7.5-8.0-9.5	61	17	33.8	11.2	15.1	3970	
LT325/70R17 122R D/8 (35X13.0R17)	301350	8.5-9.5-10.0	76.5	17	34.9	13	15.5	3305	
LT355/70R17 127R D/8 (37X14.0R17)	301360	9.5-10.5-11.0	85.1	17	36.5	14.2	16.1	3860	
255/55R18 109H RD	301510	7.0-8.0-9.0	34.2	12	29	10.3	13.3	2271	
P255/70R18 112T	300850	6.5-7.5-8.5	35.3	13	32.1	10.3	14.5	2469	
P255/70R18 112T	301740	6.5-7.5-8.5	43.7	13	32.2	10.4	14.5	2469	
P265/60R18 109S	300460	7.5-8.0-9.5	38.4	13	30.6	10.7	13.9	2271	

P265/65R18 112S	300860	7.5- 8.0 -9.5	41.5	13	31.6	10.6	14.3	2469
P265/65R18 112S	301680	7.5- 8.0 -9.5	43.7	13	31.7	10.7	14.3	2469
P265/70R18 114S	301520	7.0- 8.0 -9.0	44.1	13	32.6	10.7	14.7	2601
P265/70R18 114S	301650	7.0- 8.0 -9.0	48.1	13	32.6	10.7	14.7	2601
P275/65R18 114T	300640	7.0- 8.0 -9.5	42.3	13	32.1	11	14.5	2601
P275/65R18 114T	301640	7.5- 8.0 -9.5	47.4	13	32.2	10.9	14.5	2601
LT275/65R18 123S E/10 (32X11.0R18)	300440	7.5- 8.0 -9.0	51	16	32	10.8	14.5	3415
LT275/65R18 113T C/6 (32X11.0R18)	300600	7.5- 8.0 -9.0	51.2	16	31.9	10.9	14.4	2535
LT275/65R18 123S E/10 (32X11.0R18)	300680	7.5- 8.0 -9.0	51.2	16	32	11	14.5	3415
LT275/65R18 113T C/6	301600		0	0	0	0	0	
LT275/70R18 125S E/10 (33X11.0R18)	300620	7.0- 8.0 -8.5	54.9	16	33.1	11	14.9	3640
LT275/70R18 125S E/10	301660	7.0- 8.0 -8.5	54.2	16	33	11.1	14.9	3640
285/60R18 120S RD	301300	8.0- 8.5 -10.0	49.4	14	31.3	11.5	14.2	3086
LT285/65R18 125S E/10 (33X11.5R18)	300630	8.0- 8.5 -10.0	57.1	17	32.5	11.4	14.6	3640
LT285/65R18 125S E/10	301610		0	0	0	0	0	
LT285/75R18 129S E/10 (35X11.5R18)	300420	7.5- 8.0 -9.0	66.1	17	34.8	11.3	15.6	4080
LT325/60R18 119S D/8 (33X13.0R18)	301310	9.5 -10.5	59.5	16	33	12.6	14.9	2998
LT325/65R18 121R D/8 (35X13.0R18)	301430	9.0- 9.5 -10.0	73.9	17	34.9	13	15.6	3195
LT355/65R18 125R D/8 (37X14.0R18)	301440	10.0- 10.5 -11.0	82.7	17	36.7	14	16.3	3640
P275/55R20 111S	300840	7.5- 8.5 -9.5	43	13	31.9	11.2	14.6	2403
P275/60R20 114T	300290	7.5- 8.0 -9.5	42.1	13	32.9	11	15	2601
LT275/65R20 126S E/10 (34X11.0R20)	301140	7.5- 8.0 -9.5	57	16	34	11	15.5	3750
285/50R20 116T RD	300590	8.0- 9.0 -10.0	43.7	12	31.3	11.5	14.4	2756
LT285/55R20 122S E/10	301150	8.0- 9.0 -10.0	52.5	16	32.3	11.7	14.8	3305
305/50R20 120T	300300	8.5- 9.5 -11.0	45.6	14	31.9	12.2	14.6	3086
LT305/55R20 121S E/10 (33X12.0R20)	301340	9.0- 9.5 -10.0	56.9	16	33.2	12.4	15.2	3195
LT305/60R20 123S E/10 (34x12.5R20)	300610	8.5- 9.0 -11.0	65	16	34.3	12.6	15.6	3415
LT325/60R20 121R D/8 (35X13.0R20)	301410	9.5 -10.5	73.6	16	35.2	12.9	15.9	3195
LT355/60R20 125R D/8 (37X14.0R20)	301370	10.0- 10.5 -11.5	88	17	36.8	14.2	16.5	3640
LT285/50R22 121S E/10 (33X11.5R22)	301120	8.0- 9.0 -10.0	62.8	16	33.2	11.5	15.4	3195
305/40R22 114S RD	301460	10.0- 11.0 -12.0	44.5	14	31.6	12.2	14.7	2601
305/45R22 118S RD	300830	9.5- 10.0 -11.5	45	14	32.6	11.9	15.1	2910
LT305/50R22 119S E/10 (34X12.5R22)	301130	8.0- 9.5 -11.0	69.5	16	33.9	12.4	15.7	3000
LT325/50R22 122R E/10 (35X13.0R22)	301380	9.0- 10.0 -12.0	72.1	17	34.8	13	16	3305

Bold designates measuring rim width

RD = Reinforced

XL = Extra load

For Light Truck Tires: * White letter styling

Light Truck Construction Elements: Tread: 3P = 3-Ply Polyester Casing, 2P = 2-Ply Polyester Casing, 2S = 2 Steel Belts, 2N = 2 Nylon Cap Plies, 1N = 1 Nylon Cap Ply

Sidewall: 2P = 2 Ply Polyester, 3P = 3 Ply Polyester

All Toyo brand tires are subject to continuous development. Toyo Tire U.S.A. Corp. reserves the right to change construction, materials or

specifications without notice or obligation. Contact your Toyo Tires dealer or Toyo Tires for current information.